

**APPARATUS AND METHOD FOR GENERATING
AND DELIVERING ENTERTAINMENT DATA**

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] The present application claims priority from Japanese Patent Application Nos. 2000-337498 filed on November 6, 2000, and 2001-182049 filed on June 15, 2001, the disclosures of which are hereby incorporated by reference herein.

BACKGROUND OF THE INVENTION

[0002] The present invention relates to apparatus and methods for generating entertainment data to be delivered to entertainment terminal devices; entertainment terminal devices and methods for executing entertainment processes based on entertainment application programs; entertainment systems each made up from an entertainment data generating apparatus, entertainment terminal devices, and a data delivery machine for delivering entertainment data; and storage media storing therein processing programs to be executed on a computer for executing the above-described operations.

[0003] Currently, entertainment systems are known in each of which video game machines are connected through a network with a game server for processing and delivering various data on games, and game players play a video game with their respective video game machines. Such entertainment systems are generally called multiplayer network game systems.

[0004] In such a multiplayer network game system, the game

[0006] Besides, in such conventional multiplayer network game systems, various communication lines different in communication speed and path, e.g., public telephone lines, mobile communication systems such as a PHS (Personal Handy Phone System: Trademark) and portable telephone systems, and digital communication lines such as an ISDN (Integrated Services Digital Network), are used for the network connection between each video game machine and the game server, so that time lags may occur in transmission of game data from the game server to the video game machines. This may bring about a difference in time elapse in the game between players using different communication lines and there is a problem that a game without injustice to any players is difficult to provide.

[0007] Furthermore, different communication lines have different fee systems. Therefore, a number of collection systems for entry fees or the like of a network game must be provided to cope with the different fee systems of the different communication lines to be used. This is very complicated and may cause an increase in cost.

SUMMARY OF THE INVENTION

[0008] An object of the present invention is to provide apparatus and methods for generating entertainment data, entertainment terminal devices, methods for executing entertainment processes, entertainment systems, and storage media storing therein processing programs to be executed on a computer for the above methods, usable in systems in which game

[0011] According to the present invention, entertainment data is delivered to entertainment terminal devices with the same contents at the same time through the broadband broadcast communication line. The entertainment data may be delivered in a scrambled state. In this case, the payment of a predetermined fee may be demanded for descrambling the entertainment data.

[0012] According to the present invention, as described above, entertainment data is delivered to the entertainment terminal devices with the same contents at the same time through the broadband broadcast communication line. Therefore, no time lags occur in transmission of the data to the entertainment terminal devices. Besides, it is not necessary to generate units of entertainment data specific to the respective entertainment terminal devices, and to transmit each unit of entertainment data to the corresponding entertainment terminal device. This can relieve the load of processing.

[0013] Besides, out of the entertainment data delivered, each entertainment terminal device selects data necessary for the device to execute a predetermined entertainment process. Therefore, any entertainment device can execute its predetermined entertainment process according to the present invention.

[0014] Further, when a predetermined fee is imposed upon descrambling the entertainment data, an existing receiving fee collection system of a broadcasting system using scrambled

lines can be used for fee collection without any change. In this case, it is not required to newly establish a fee collection system. The fee collection for delivery of entertainment data can be done in a simple manner.

[0015] Other and further objects and features of the present invention will become obvious upon understanding of the illustrative embodiments about to be described in connection with the accompanying drawings or will be indicated in the appended claims, and various advantages not referred to herein will occur to one skilled in the art upon employing the invention in practice.

BRIEF DESCRIPTION OF THE DRAWINGS

[0016] FIG. 1 is a block diagram schematically showing the construction of a multiplayer network game system according to an embodiment of the present invention;

[0017] FIG. 2 is a flowchart of a procedure for processing game data and player data, and for transmitting/receiving such data in the multiplayer network game system of FIG. 1;

[0018] FIG. 3 is a flowchart of a procedure in the game server to identify a video game machine user and judge as to whether the user may participate in a game;

[0019] FIG. 4 is a flowchart of a game processing routine in the game server to generate game data; and

[0020] FIG. 5 is a flowchart of a procedure in a video game machine to participate in a network game and execute the game.

DETAILED DESCRIPTION

[0021] Hereinafter, an embodiment of the present invention will be described with reference to the accompanying drawings.

[0022] Referring to FIG. 1, a multiplayer network game system according to an embodiment of the present invention can be generally divided into a user terminal system 10 including a video game machine 13 as an entertainment terminal device of a user; a game server 30 for managing multiplayer network games; a CS broadcasting system 60 capable of transmitting broadband broadcast signals in CS (Communication Satellite) communication; a communication satellite 70 for the CS communication; a low-speed communication line at, e.g., about 9800 bps to 64 kbps, such as a general telephone line (in this embodiment, referred to as a telephone line 20 by way of example); and an exclusive or public broadband communication line 40 for connecting between the CS broadcasting system 60 and the game server 30. The low-speed communication line is not limited to a public telephone line, and may also be a mobile communication line such as PHS system or a portable telephone system, or an optical digital communication line such as ISDN. Besides, the broadcast communication is not limited to CS communication, and may also be communication using an analog or digital BS (Broadcasting Satellite) line, an analog or digital ground wave broadcasting line, an analog or digital cable TV broadcasting line, or the like, all of which are broadband communication lines capable of transmitting a large

amount of data to a plurality of terminal devices at the same time. Besides, the CS broadcasting system 60 and the game server 30 may be integrated into a single system.

[0023] The user terminal system 10 includes the above-described video game machine 13 with which the user can play a video game being displayed on a TV monitor 14 through a controller 15, an antenna 11 and a receiver 12 capable of receiving broadband broadcast signals, e.g., CS broadcast signals. The receiver 12 may be a general CS tuner for receiving and demodulating CS broadcast signals transmitted from the communication satellite 70. Besides, the CS tuner can descramble scrambled signals of each predetermined channel to output audio/video signals of CS television broadcasts or data of CS data broadcasts.

[0024] The video game machine 13 is an entertainment machine that has not only a function of executing video games on the basis of various game application programs but also functions for other operations or signal processing based on various other application programs. The video game machine 13 still has functions of connecting with a modem for communication through the telephone line 20, and taking therein audio/video signals of CS television broadcasts and data of CS data broadcasts received through the receiver 12. Each of the above-described application programs can be read out from, e.g., an optical disk or a semiconductor memory, or downloaded through a communication network. The flow of a procedure in

of the game characters being operated by all of the players is generated as the above-mentioned game data. The game data is delivered to the video game machine of each player participating in the game.

[0031] In the next step S3, the game server 30 transmits the game data for all of the players to the CS broadcasting system 60 through the exclusive or public broadband line 40.

[0032] In the next step S4, the CS broadcasting system 60, having received the game data from the game server 30, broadcasts the game data through, e.g., one CS broadcasting game channel.

[0033] In the next step S5, the receiver 12 of each user terminal system 10 receives the game data through the CS broadcasting game channel, and the video game machine 13 then extracts data necessary for the video game machine 13 to execute the game from the received game data for all of the players.

[0034] In the next step S6, the video game machine 13 transmits player data, which has been changed with the progress of the game, to the game server 30 through the telephone line 20. After this, the flow returns to step S2 to repeat the procedure from step S2 to step S6 until the game ends or the player ends the game.

[0035] FIG. 3 illustrates the flow of a procedure in the game server 30 to identify each video game machine 13 that has accessed the game server 30 through the telephone line 20, and

to determine whether the user of the video game machine 13 may participate in the game requested. This is a detail of the procedure in step S1 of FIG. 2.

[0036] When the game server 30 of FIG. 1 receives an access of a video game machine 13 through the telephone line 20 in step S11, the player management section 32 of the game server 30 refers, in step S12, to player registration data accumulated in the player database 33 to thereby check whether the user of the video game machine 13 has been registered as a regular member.

[0037] In the checking process in step S12, if the player management section 32 determines that the user of the video game machine 13 has not been registered as a regular member, the flow advances to step S13, in which the player management section 32 transmits to the video game machine 13 through the telephone line 20 a message rejecting the access, e.g., a message informing the user that he or she has not yet been registered, together with a message inquiring whether the user wants to be registered.

[0038] When the player management section 32 determines that the user of the video game machine 13 has been registered as a regular member, the flow advances to step S14, in which the player management section 32 transmits to the video game machine 13 through the telephone line 20 a message permitting the user's entry for this network game system. The flow then advances to step S15.

[0039] In step S15, the game management section 36 waits to receive from the user of the video game machine 13 through the telephone line 20 a game designation signal indicating which game the user intends to participate in. When the game management section 36 receives the game designation signal, the flow advances to step S16.

[0040] In step S16, the game management section 36 determines whether the game designated by the user of the video game machine 13 is able to accept a new player. This determination can be made by the maximum number of players who can participate in the game, and current game conditions.

[0041] If the game management section 36 judges, in step S16, that the designated game can not accept any new players at present, the flow advances to step S17, in which the game management section 36 transmits to the video game machine 13 through the telephone line 20 a message asking if the user wants to enter another game, or a message asking the user to wait until the designated game is able to accept a new player.

[0042] When the game management section 36 judges, in step S16, that the designated game can accept the user of the video game machine 13 as a new player, the flow advances to a game processing routine for generating game data shown in FIG. 4, which is executed by the game processing section 35 of the game server 30.

[0043] FIG. 4 illustrates the flow of the game processing routine in the game server 30 to generate game data.

[0044] In step S21, the game processing section 35 receives data from all of the players (all video game machines 13) participating in the game through the telephone line 20.

[0045] In the next step S22, the game processing section 35 makes the game progress in accordance with the data from all of the players. In the next step S23, the game processing section 35 generates game data for all of the players in accordance with the current game conditions, and transmits the game data to the CS broadcasting system 60 through the exclusive or public broadband line 40. The game data contains therein identification data with which each video game machine 13 can identify and select the game characters and objects in the game related to the video game machine 13.

[0046] In the next step S24, the game processing section 35 determines whether the game has ended. If the game has not ended, the game processing section 35 repeats the procedures from step S21 to step S24 until the game ends.

[0047] FIG. 5 illustrates the flow of a procedure in a video game machine 13 to participate in a network game and execute the game. The program for this procedure in the video game machine 13 is contained in a game application program, e.g., downloaded from the game server 30, or delivered or sold with a storage medium such as an optical disk or a semiconductor memory.

[0048] When the user of the video game machine 13 intends to participate in a network game by controlling a controller 15,

he or she connects, in step S31, the video game machine 13 with the game server 30 through the telephone line 20 to access the game server 30. After the game server 30 judges the user to be a regular member, the video game machine 13 receives a reply from the game server 30 permitting entry to the network game system, and the user selects a desired game with the controller 15. The video game machine 13 transmits, in step S32, a signal through the telephone line 20 designating the game selected to the game server 30.

[0049] When it receives the reply from the game server 30 permitting entry to the designated game, the video game machine 13 participates in the game, and transmits current player data to the game server 30 through the telephone line 20 in step S33.

[0050] In the next step S34, the video game machine 13 receives data transmitted by broadband CS broadcasting through the communication satellite 70. In the next step S35, the video game machine 13 extracts game data from the above-described received data and further extracts identification data as described above from the game data. On the basis of the extracted identification data, the video game machine 13 selects a game character, object, or the like, operable through the controller 15 of the video game machine 13, and another game character, object, or the like, related to the above game character, object, or the like, e.g., an adjacent game character being operated by another player.

[0051] In the next step S36, the video game machine 13

broadcasts as described above, the CSTV customer database 67 of the CS broadcasting system 60 stores therein information on each player (the user of each video game machine 13) as data of a customer who has made a contract for receiving CS broadcasts. The CSTV customer management section 66 manages customers and their receiving fees with such customer data. The CSTV customer management section 66 calculates a receiving fee for the user of each video game machine 13 who received the above-described game channel. The CS broadcasting system 60 then demands the payment of the receiving fee for the game channel from the user of the video game machine 13 and the user pays the receiving fee for the game channel to the CS broadcasting system 60. In this case, the receiving fee for the game channel may include the receiving fee for CS broadcasts actually received, an agent fee for fee collection, etc., in addition to the entry fee for the game in which the user of the video game machine 13 participated.

[0056] On the other hand, in the game server 30, for example, the player management section 32 calculates a game entry fee for each player. The game server 30 then demands the payment of the entry fee from the CS broadcasting system 60. In response to this, the CS broadcasting system 60 pays, to the game server 30, the game entry fee that is calculated by subtracting the receiving fee for CS broadcasts, the agent fee, etc., as described above, from the total receiving fee received from the player.

0057] As described above, in the multiplayer network game system in which, e.g., from several hundreds to thousands of players access the game server 30 (constituted by only one server machine or several server machines as a set) to play a network game, up communication from each video game machine 13 to the server machine 30 undertakes only a small amount of data such as player data. In contrast, in down communication from the game server 30 to each video game machine 13, a large amount of data must be transmitted at a high speed. For this reason, in the network game system of this embodiment, an existing low-speed communication line at, e.g., about 9800 bps to 64 kbps, such as the telephone line 20, is used for the up communication from each video game machine 13 to the server machine 30, and an existing broadband communication line such as a digital CS communication line is used for the down communication from the game server 30 to each video game machine 13. Therefore, in this embodiment, multiplayer network games can be realized using existing communication infrastructures.

0058] In the network game system of this embodiment, the game server 30 generates a single unit of game data in accordance with data of all of the players participating in a network game. The game data is transmitted to all video game machines 13 participating in the game at the same time through a broadband broadcast communication line such as a CS broadcasting line. Therefore, unlike the conventional network

game system, complicated processes are not required in which units of game data specific to the respective video game machines are generated and each of them is transmitted to the corresponding video game machine. That is, in the network game system of this embodiment, only a single unit of game data suffices to be generated and transmitted. As a result, the load of generating game data on the game server can be relieved, and also the load on the network line can be relieved.

[0059] Besides, in the network game system of this embodiment, the same game data is delivered to all video game machines at the same time. Thus, there is no difference in time elapse in the game between players. This makes it possible to provide the game without injustice to any players.

[0060] Further, in the network game system of this embodiment, game entry fees, game playing fees, or the like, can be collected using an existing fee collection system, such as the receiving fee collection system of CSTV. Therefore, it is not required to establish a new fee collection system. Besides, it is not required to use different fee collection systems of different communication lines as in the conventional network game system. In the network game system of this embodiment, therefore, the entry fees or the like can be collected simply and at a low cost.

[0061] The present invention is not limited to the above-described embodiments and various changes and modifications can be made without departing from the technical scope of the

invention defined in the appended claims. The entertainment machine of the present invention is, for example, not limited to the video game machine explained in the embodiment.

09992931.1.10601